



Classical V-Belts for RMA / MPTA

Table 1-1

A/13, AX



Belt indication



A-Section

Belt Code	Outer length La (in)	Datum length Ld (in)	Belt Code	Outer length La (in)	Datum length Ld (in)	Belt Code	Outer length La (in)	Datum length Ld (in)
20	22	21.3	60	62	61.3	100	102	101.3
21	23	22.3	61	63	62.3	102	104	103.3
22	24	23.3	62	64	63.3	105	107	106.3
23	25	24.3	63	65	64.3	108	110	109.3
24	26	25.3	64	66	65.3	110	112	111.3
25	27	26.3	65	67	66.3	112	114	113.3
26	28	27.3	66	68	67.3	115	117	116.3
27	29	28.3	67	69	68.3	118	120	119.3
28	30	29.3	68	70	69.3	120	122	121.3
29	31	30.3	69	71	70.3	122	124	123.3
30	32	31.3	70	72	71.3	125	127	126.3
31	33	32.3	71	73	72.3	128	130	129.3
32	34	33.3	72	74	73.3	130	132	131.3
33	35	34.3	73	75	74.3	135	137	136.3
34	36	35.3	74	76	75.3	140	142	141.3
35	37	36.3	75	77	76.3	145	147	146.3
36	38	37.3	76	78	77.3	150	152	151.3
37	39	38.3	77	79	78.3	155	157	156.3
38	40	39.3	78	80	79.3	160	162	161.3
39	41	40.3	79	81	80.3	165	167	166.3
40	42	41.3	80	82	81.3	170	172	171.3
41	43	42.3	81	83	82.3	180	182	181.3
42	44	43.3	82	84	83.3	Size range: 20" ~ 360"		
43	45	44.3	83	85	84.3			
44	46	45.3	84	86	85.3			
45	47	46.3	85	87	86.3			
46	48	47.3	86	88	87.3			
47	49	48.3	87	89	88.3			
48	50	49.3	88	90	89.3			
49	51	50.3	89	91	90.3			
50	52	51.3	90	92	91.3			
51	53	52.3	91	93	92.3			
52	54	53.3	92	94	93.3			
53	55	54.3	93	95	94.3			
54	56	55.3	94	96	95.3			
55	57	56.3	95	97	96.3			
56	58	57.3	96	98	97.3			
57	59	58.3	97	99	98.3			
58	60	59.3	98	100	99.3			
59	61	60.3	99	101	100.3			

Available size for Raw Edge Cogged V-Belts AX


1

Properties




Classical V-Belts for RMA / MPTA

Table 1-2



Belt indication



B -Section


Belt Code	Outer length La (in)	Datum length Ld (in)	Belt Code	Outer length La (in)	Datum length Ld (in)	Belt Code	Outer length La (in)	Datum length Ld (in)
25	28	26.8	65	68	66.8	112	115	113.8
26	29	27.8	66	69	67.8	115	118	116.8
27	30	28.8	67	70	68.8	118	121	119.8
28	31	29.8	68	71	69.8	120	123	121.8
29	32	30.8	69	72	70.8	122	125	123.8
30	33	31.8	70	73	71.8	125	128	126.8
31	34	32.8	71	74	72.8	128	131	129.8
32	35	33.8	72	75	73.8	130	133	131.8
33	36	34.8	73	76	74.8	132	135	133.8
34	37	35.8	74	77	75.8	135	138	136.8
35	38	36.8	75	78	76.8	138	141	139.8
36	39	37.8	76	79	77.8	140	143	141.8
37	40	38.8	77	80	78.8	145	148	146.8
38	41	39.8	78	81	79.8	150	153	151.8
39	42	40.8	79	82	80.8	155	158	156.8
40	43	41.8	80	83	81.8	160	163	161.8
41	44	42.8	81	84	82.8	165	168	166.8
42	45	43.8	82	85	83.8	170	173	171.8
43	46	44.8	83	86	84.8	180	183	181.8
44	47	45.8	84	87	85.8	190	193	191.8
45	48	46.8	85	88	86.8	200	203	201.8
46	49	47.8	86	89	87.8	210	213	211.8
47	50	48.8	87	90	88.8	240	241	240.3
48	51	49.8	88	91	89.8	270	271	270.3
49	52	50.8	89	92	90.8	Size range: 23" ~ 660"		
50	53	51.8	90	93	91.8			
51	54	52.8	91	94	92.8			
52	55	53.8	92	95	93.8			
53	56	54.8	93	96	94.8			
54	57	55.8	94	97	95.8			
55	58	56.8	95	98	96.8			
56	59	57.8	96	99	97.8			
57	60	58.8	97	100	98.8			
58	61	59.8	98	101	99.8			
59	62	60.8	99	102	100.8			
60	63	61.8	100	103	101.8			
61	64	62.8	102	105	103.8			
62	65	63.8	105	108	106.8			
63	66	64.8	108	111	109.8			
64	67	65.8	110	113	111.8			

 : Available size for Raw Edge Cogged V-Belts BX



Classical V-Belts for RMA / MPTA

Table 1-3



Belt indication
C 93
 Cross Section Belt Code(inch)

C-Section

Belt Code	Outer length La (in)	Datum length Ld (in)	Belt Code	Outer length La (in)	Datum length Ld (in)	Belt Code	Outer length La (in)	Datum length Ld (in)
40	44	42.9	86	90	88.9	190	194	192.9
42	46	44.9	87	91	89.9	200	204	202.9
45	49	47.9	88	92	90.9	210	214	212.9
48	52	50.9	89	93	91.9	220	222	220.9
50	54	52.9	90	94	92.9	230	232	230.9
51	55	53.9	91	95	93.9	240	242	240.9
52	56	54.9	92	96	94.9	250	252	250.9
53	57	55.9	93	97	95.9	260	262	260.9
54	58	56.9	94	98	96.9	270	272	270.9
55	59	57.9	95	99	97.9			
56	60	58.9	96	100	98.9			
57	61	59.9	97	101	99.9			
58	62	60.9	98	102	100.9			
59	63	61.9	99	103	101.9			
60	64	62.9	100	104	102.9			
61	65	63.9	102	106	104.9			
62	66	64.9	105	109	107.9			
63	67	65.9	108	112	110.9			
64	68	66.9	110	114	112.9			
65	69	67.9	112	116	114.9			
66	70	68.9	115	119	117.9			
67	71	69.9	118	122	120.9			
68	72	70.9	120	124	122.9			
69	73	71.9	122	126	124.9			
70	74	72.9	125	129	127.9			
71	75	73.9	128	132	130.9			
72	76	74.9	130	134	132.9			
73	77	75.9	132	136	134.9			
74	78	76.9	135	139	137.9			
75	79	77.9	138	142	140.9			
76	80	78.9	140	144	142.9			
77	81	79.9	142	146	144.9			
78	82	80.9	145	149	147.9			
79	83	81.9	148	152	150.9			
80	84	82.9	150	154	152.9			
81	85	83.9	155	159	157.9			
82	86	84.9	160	164	162.9			
83	87	85.9	165	169	167.9			
84	88	86.9	170	174	172.9			
85	89	87.9	180	184	182.9			

Size range: 37" ~ 660"

Available size for Raw Edge Cogged V-Belts CX

1
Properties

